

INCOME INEQUALITY IN THE SLOVAK REPUBLIC

Juraj Sipko^I, Ľubica Sipková^{II}

University of Economics^I, Paneuropean University^{II}, Bratislava, Slovakia

ABSTRACT

Presented are the results of the analysis of various inequality measures evaluated in the quantile model framework. Various approaches to probability modeling of wages are used while goodness-of-fit has the highest priority when choosing models of the income distribution.

The linearity of the pattern of points in a quantile–quantile plot (Q-Q plot) is a visualization of the goodness-of-fit line. The model chosen to interpret the data influenced the calculated single inequality statistic. A feature of the Q-Q plot constructed by displaying the order statistics is that the inequality measures “can be obtained as least squares estimates of a Q-Q diagram”. Tarsitano’s applied approach is compared to the classical approach to the calculation of inequality measures of wages of employees in the Slovak Republic.

JEL CLASSIFICATION & KEYWORDS

■ J31 ■ C14 ■ C46 ■ INCOME INEQUALITY ■ GROSS WAGES ■ EMPLOYEES ■ QUANTILES ■ PROBABILITY MODELS

INTRODUCTION

Besides standard use a moment based description of income distributions with central tendency as a measure of the centre of differences between all income values, and a moment based description of variability and asymmetry using all values with giving extra power to high extremes, altogether with application of normal approximations for parametric estimation methods, there is a reasonable phenomenon of grooving utilization of methods based on Galton’s quantile and Order statistics theory. The insistent application of quantile based methods in the article demonstrates their usefulness in income study, especially by the results which were received by applying them on complex asymmetric distributions with complicated shapes and existence of extremes.

The main objectives in income modelling, such as transformation of model components instead of data, opportunity to use the same analytical form of models in sub-populations analyses, functional analytical forms for future relative inequality analyses and application of robust estimate methods with respect to the failure of the standard parametric methods assumptions, could be fulfilled by quantile approach to distribution modelling thanks to high flexibility of conceptual and generalized quantile models, of inequality measures definition by inverses of cdfs and the robust estimation methods that treats all values equally. The constructed conceptual quantile models treat extremes themselves. Moreover, the future study of extremes could continue with Monte Carlo simulations through the models of income distribution, and for its subgroups as well, by methods of simulation of extremes by quantile functions.

^I lubica.sipkova@euba.sk

^{II} juraj.sipko@uninova.sk

The purpose of this article is to characterize the inequality of income distribution of employees in the Slovak Republic. The assumption of the applied parametric approach to the calculation of inequality measures is that wages of employees of the Slovak Republic are a result of stochastic processes based on a reasonably smooth probability distribution. Another assumption is that the applied model correctly analytically describes this distribution and therefore also the basic properties and structure of the empirical distribution of wages.

Relative income inequality figures based on each region’s income distribution, i. e. depending on its shape, for a fair inequality comparison among regions, the same flexible analytical form of model, should be applied. The four-parameter Kappa generalized quantile distribution is flexible enough for regional - comparative population modeling, which is functional for inequality measures based on its ranks. But prior to inequality evaluation based on the four-parameter Kappa quantile models, it was necessary to establish an appropriate measure of economic inequality.

Tarsitano suggests that his approach “derives simultaneously the law of income distribution and the measure of economic inequality.” “In case of a good fit, the least squares estimate of the slope can measure the inequality in the observed incomes.”

Income probability modeling

Recognizing the same appropriate flexible analytical form of population’s distributions makes it possible to describe them fully and provides all the information needed to compare the structures in different geographical regions. It is an advantage when the same type of model can be simply updated and validated for the compared regions, and the estimated parameters of a given analytical form can be used for the whole populations as well as for individual elective samples of the compared populations. Determining the functional form of the population’s income distributions and their structures paves the way for comparative parametrical analyses and provides an appropriate approach for assessing differences and similarities in compared income distributions when doing social analyses.

The article provides results of application of the quantile approach to analyze relative income inequality and income inequality quasi-orderings presented by Amartya Sen (1997). According to this theory a model of income distribution should be defined in a functional analytical form for further relative inequality analyses, as well as defined by a probability function with good fit for the whole population and for chosen subpopulations. Nowadays, it is often impossible to use the well-known simple income models of the past to express the empirical income distributions of recent more complex populations.

Most of the recently devised econometric models based on a logistic-empirical approach make use of mathematical modifications based probability-generating functions and

transformation functions. These intricate econometric models of income are often generalized forms of distribution functions.

The standard statistical approach considers income distribution as the outcome of a stochastic process. The process of modeling probable income distributions using various transformations of input data and resulting in the application of probability distribution function (pdf) driven from known system of probability distribution, have often failed, mainly due to insufficient modeling of income distribution tails. The most frequently used type of a theoretical income model, three-parameter version of logarithm-normal distribution, fits well only in the wide central area of income distribution in the Slovak Republic, but for the marginal regions, other composite types could be more suitable.

The selected atypical approach in the article to define the analytical form principally relies on Gastwirth (1971) standard definition of Lorenz curve, but in its more general form, which uses a quantile income distribution function (qf), i.e. inverse distribution function of income distribution. If F (cdf) indicates the proportion of the population $F(x)$ with income no greater than x , "and F^{-1} is its inverse (or generalized inverse if F has jumps), the Lorenz curve of F is defined for $0 \leq p \leq 1$ as [Sen 1997, p.139]:

$$L(p) = \int_0^p F^{-1}(p) dp / \mu \text{ where } \mu = \int_0^1 F^{-1}(p) dp$$

is the mean of F ."

In addition, the most of commonly presented measures of relative inequality, invariant to changes in population size, mean independent, satisfying symmetry, etc., could be expressed by qf. In the stochastic dominance "generalized Lorenz curves are constructed by integrating the inverses of cdfs", i.e. qfs, "along the population axis. A simple change of variable converts the integral condition into generalized Lorenz dominance. See Foster and Shorrocks" (Sen 1997).

The relatively new field of statistical science called "modeling with quantile functions" has been widely recognized as a significant advance, and is being applied in many areas. Quantile functions make it possible to create a distribution model by combining a number of component models. The quantile-based models provide the flexible approach needed to obtain well-fitted tails in distributional models. This creates new possibilities for probability modeling in cases where the standard approach fails to produce adequate results.

Two potentials are elaborated how to define qf accurately to data properties. The first one, the generalized quantile model fitting may possibly result in definition of the exact shape of high elastic generalized lamda distribution defined by Ramberg and Schmeiser (RSGLD) (Ramberg, Schmeiser 1974) or generalized Kappa distribution (Hosking 1994). Modeling by the four-parameter asymmetrical highly flexible quantile function is a challenging problem because of its two shape parameters in exponents, particularly in the case of more complex income distributions. The results of modeling by generalized Kappa are presented in the third chapter of this article.

More precise results could be achieved by building a conceptual quantile model to reflect data properties, as well as to be relevant to the particular application area. The "construction kit" for the quantile modeling process, in general, analysis of methods and techniques for identifying, estimating and validating probability quantile models especially for skewed heavy left income distributions could be found in Gilchrist (2000).

It is one of the main goals of this article to apply the quantile probability method of modeling of the whole income distribution for comparison of Slovak regions and for exploration of its potential uses for regional income inequality comparison. The investigation will elaborate and apply the quantile modeling methods that are broadly described in Warren Gilchrist's: *Modelling With Quantile Distribution Functions* (Gilchrist 2000) and also in Agostiano Tarsitano's: *A new Q-Q plot and its application to income data*¹.

Description of the background empirical income data

The procedure and the results of the actual applications of the referred quantile modeling methodology on 1%-random selected sample of non-aggregated official 2010 wages data (hmes_mzda) provided by Organization Trexima, s.r.o for research purposes of employees of the Slovak Republic as well as for its eight NUTS III regions are explained. The empirical distributions are presented by Box-plots in Fig. 1a; nonparametric kernel estimate of pdfs in Fig. 1b and 95% confidence intervals of means and medians in Fig. 1c.

Solution of Modeling with pdfs

A quantile modelling is recommended only if suitable pdfs within the library of standard forms could not be identified. Complementary, three-parameter logarithm-normal maximum likelihood estimate was found as log-likelihood and KS best fit income model of population and chosen subpopulations from all 38 well-known two/three-parameter continuous theoretical pdfs offered by statistical software Statgraphics Centurion XVI (see Tab. 1).

Nevertheless, according to the results of quantitative and graphical verification, the logarithm-normal model does not represent a good approximation of complicated multimodal heavy left and long right tailed total average monthly wages distribution in the Slovak Republic for 2010 and its regions either. The conclusion of classical approach to modeling of hmes_mzda is that none of all applied probability distribution functions (pdfs) fits the whole empirical income data interval well without data transformation and the best fit of applied pdfs represents Logarithm-normal 3-parameter, Gamma 3-parameter and Weibull distribution (see correlation coefficients in Tab. 1), but distributions do not fit the long right tail well enough.

Conceptual quantile modeling based on exploration of suitable pdfs

Unlike the standard approach to probability modeling, application of quantile based conceptual modeling methods with its foundation in the Order statistics theory (see e. g. Arnold, Balakrishnan, Nagaraja, 1992) could bring satisfying results because of higher flexibility of quantile functions.

The semi-linear gamma-Pareto type is the composition of gamma and Pareto distributions, without reference to position or scale in its basic inverse forms. The composition by addition was generalized to include position and scale parameters by using the transformation:

$$Q(p) = a + v_1 \text{GAMAINV}(p) + v_2 \text{PARETOINV}(p)$$


where parameters v_1 and v_2 were set as the functions of probability p :

$$v_1 = w(1-p) \text{ and } v_2 = k p$$

to give proper weight and spread to gamma and Pareto shapes on each side of the distribution.

¹ Available on the internet: http://www3.unisi.it/eventi/GiniLorenz05/ABSTRACT_PAPER_24%20May/PAPER_Tarsitano.pdf

Figure 1: Average monthly gross wages of Slovak employees in year 2010 by the NUTS III regions (in euros)



Source: Author's calculations

Table 1: Results of modeling of wages by well-known pdfs

Distribution	Loglogistic (3-Parameter)	Lognormal (3-Parameter)	Gamma (3-Parameter)	Weibull
Est. Parameters	median = 651.934	mean = 806.878	shape = 2.70158	shape = 1.40139
	shape = 0.305704	standard deviation = 474.736	scale = 0.00341853	scale = 921.314
	lower threshold = 28.1653	lower threshold = 2.85076	lower threshold = 39.1054	
KS D p	0.0232	0.0485	0.0955	0.15995
Chi-Squared p	0.0	0.0	0.0	0.0
Correlations	0.7829	0.8174	0.7461	0.7438
R ²	0,61293	0,66814	0,55666	

Source: Author's calculations

The basic form of PARETOINV(p) was received from:

$S(p) = p$ by the reciprocity rule to:

$$R[S(p)] = \frac{1}{S(1-p)} \quad \text{and by the Q-transformation rule to:}$$

$$S_{PAR}(p) = \frac{1}{(1-p)^d} \quad \text{where } d > 0.$$

The composite semi-linear quantile gamma-Pareto model (for LN-Pareto Logarithm-normal inverse was used) for hmes_mzda was built by using modification rules for qfs to the final shape:

$$Q(p) = \alpha + \left(\omega(1-p)GAMAINV(p; \beta, \gamma) + \frac{\kappa p}{(1-p)^d} \right),$$

$$0 < p < 1, d > 0$$

Both the method of least squares and the method of least absolutes (Gilchrist, 2000) was used to order values of empirical wages, thus x_r in the regions. The steps of minimization of criterion depend on the general numerical minimization procedure. All the calculations in the process of estimation were done by Solver in Excel. The fitted models were compared graphically and numerically (see e.g. Tab. 2).

Graphical validation of estimated best fitted LNPareto model represented in Fig. 2.


The applications of LNPareto distribution for the eight NUTS III Slovak regions showed insufficient flexibility. The calculation of appropriate inequality measures on the basis of this respective quantile shape has also proven problematic. We could not reached the same functional form

Table 2: Correlation coefficients of wages models

	Lognormal (3-Parameter)	GammaPareto	WeibullPareto	LN-Pareto
Correlations	0,8174	0,9942	0,9941	0,9943
R ²	0,668143	0,988434	0,988235	0,988632

Source: Author's calculations

Figure 2: Q-Q graph of LN-Pareto model for hmes_mzda with 90% confidence intervals



Source: Author's calculations

with the same estimation techniques for all the Slovak regions.

Modeling by generalized Kappa distribution

Fitting the extremely elastic generalized form RS GLD to wages distributions was not successful. Future investigation of techniques for more precise estimation methods, or potential studies of the suitable areas in the four regions of RSGLD two shape parameters in exponents for the typical income shapes, are needed.

The four-parameter Kappa distribution by Hosking (1994), collaborated as a linear-exponential transformation of Gumbel-Exponential shape is defined by its quantile function:

$$Q(p, \lambda) = \lambda_1 + \frac{\lambda_2}{\lambda_3} \left[1 - \left(\frac{1 - p^{\lambda_4}}{\lambda_4} \right)^{\lambda_3} \right]; \quad 0 < p \leq 1, \lambda_2 > 0 \quad (1)$$

We applied its reduced version in standardized form without a location parameter λ_1 and a scale parameter λ_2 , with only two exponential parameters λ_3, λ_4 , that determine the shape of the standardized form of the quantile function. Calculation of the expected value of order statistics follows the Dagum unimodal distribution of the first type, a special case of the four-parameter Kappa distribution, where $\lambda_1 < 0, \lambda_2 < 0$ and $l_2 = l_3(l_4)^{\lambda_3}; l_1 = l_2/l_3$ according to the equation (Tarsitano, p. 12):

$$E(X_{in}) = w_{in} = [p_i^{-\lambda_4} - 1]^{\lambda_3}, \quad i = 1, 2 \dots n \quad (2)$$

where p_i is the plotting position suggested by Landwehr (with 0.35 and 0.65 proportions) calculated as:

$$p_i = \frac{i - 0.35}{n}$$

The resulted values of the parameters λ_3, λ_4 were estimated by a downhill simplex maximization of the correlation coefficient (Tarsitano, p. 19):

$$\rho(\lambda_3, \lambda_4) = \frac{\sum_{i=1}^n [p_i^{-\lambda_4} - 1]^{\lambda_3} - w_{in}(\lambda_3, \lambda_4)}{\sqrt{S_x b_n(\lambda_3, \lambda_4)}}, \quad i = 1, 2 \dots n \quad (3)$$

Where $X_{in}; i = 1, 2, \dots, n$ is an ordered sample of wages of size n ,

$$w_n = n^{-1} \sum_{i=1}^n w_{in}, \quad i = 1, 2 \dots n, \quad S_x = \sum (X_{in} - \mu_n)^2$$

$$\text{and } b_n(\lambda_3, \lambda_4) = \sum_{i=1}^n (w_{in} - w_n)^2$$

The results of the two shape parameters λ_3, λ_4 of generalized Kappa distributions calculated for employees of Slovak Republic as well as for its eight NUTS III regions are summarized in Tab. 3.

Tarsitano's inequality measures based on rankits in Q-Q plots

To condense information on inequality of wages of employees of the SR and its regions, all 9900 individual observations were retained in calculations of Tarsitano's inequality measures based on rankits in Q-Q plots using the equation (Tarsitano, p. 14):

$$V_n(\lambda_3, \lambda_4) = \sum_{i=1}^n \left[\frac{[p_i^{-\lambda_4} - 1]^{\lambda_3} - w_n(\lambda_3, \lambda_4)}{[p_n^{-\lambda_4} - 1]^{\lambda_3} - w_n(\lambda_3, \lambda_4)} \right] \frac{X_{in}}{T}, \quad (4)$$

$$i = 1, 2 \dots n, \quad T = n\mu_n; \quad w_n = \frac{\sum_{i=1}^n w_i}{n}$$

The values of both measures, the Tarsitano inequality measure $V_n(\lambda_3, \lambda_4)$ and the correlation coefficient $\rho(\lambda_3, \lambda_4)$ by the equation (3) are in Q-Q plots (Fig. 3; V(inequal.) and corr. coef.) for the SR and its NUTS III regions and are summarized in the Tab. 3.

Conclusion


In the applied parametric approach, each applied inequality measure of income distribution is based on a comparison of different theoretical probability distribution models. The Gini coefficient is a measure of inequality in comparison to the uniform distribution, De Vergottini rate to the exponential shape. The $V(\text{inequal.})$ is calculated in accordance with the Agostino Tarsitano approach in comparison with the kappa probabilistic model. A greater Tarsitano value of inequality $V(\text{inequal.})$ means a greater slope of the line of the Q-Q graphical representations and a greater inequality of income distribution.

In this paper we apply the methodology proposed by Tarsitano, which is based on the approach by Sen (1973) and measures the income inequality based on income inequality between higher and lower income groups compared to the Kappa model of income inequality. The three reported measures of income inequality do not mutually correspond, each compares to a different model shape and reflects a different aspect of inequality.

Accordingly with the above-mentioned, the Tarsitano summarisation of results of probabilistic modeling of income inequality probability distribution by means of Q-Q charts is very synoptic. It is an interesting solution and marks progress in regional studies of income inequality.

On the basis of the Q-Q graphical representation comparison ranking of Kappa models against the empirical shape adapted according to Tarsitano, the following can be concluded:

Figure 3: Q-Q plots for wages of the employees of the Slovak Republic by NUTS III regions



Source: Author's calculations

For a good illustration of the V-inequalities, we consider it important to choose an appropriate scale for the axes in the Q-Q graphical display so that the slope of the lines can be visually compared. According to the variation points in the vicinity of the lines, we can note places in the income distribution where the model departs from the empirical income distribution. Is it most often the right end in which the variability of the highest incomes is also the highest. This means that the value of the correlation coefficient increases

mostly based on summarisation of these deviations in the right ends of the distribution.

The Generalized Kappa quantile shape of the function proved reasonably resilient to regional analysis of the income distribution in the Slovak Republic (the latest empirical values in Q-Q graphs lie below the line). Nevertheless, in the Region 7, a 0.9735 correlation coefficient is low and the degree of V-inequality can

Table 3: Results of inequality measures of regions in the Slovak Republic

Regions	n	lambda3	lambda4	Corr. coef.	V(inequal.)	GINI	De Vergottini
Slovak Republic	9900	0.4442	0.8194	0.9920	0.0210	0.3210	0.0973
Region 1	2188	0.4700	0.0655	0.9865	0.0466	0.3808	0.1480
Region 2	1006	0.4197	1.41	0.9810	0.0409	0.2756	0.1192
Region 3	1152	0.2344	0.0609	0.9906	0.0499	0.2676	0.1093
Region 4	1193	0.2879	0.0516	0.9933	0.0468	0.2221	0.1325
Region 5	1142	0.4275	1.96	0.9910	0.0401	0.2682	0.1899
Region 6	1012	0.2304	0.1554	0.9923	0.0546	0.2754	0.1048
Region 7	972	0.3292	0.0001	0.9735	0.0501	0.2856	0.1114
Region 8	1235	0.3789	0.0516	0.9948	0.0420	0.2460	0.1374
Source: Author's calculations							

therefore be affected to some extent. However, it is questionable whether large oscillation of the empirical values at the right end of the income distribution can be better modeled by other continuous and relatively "smooth" functions (suitable also for the entire shape of the distribution). In addition, the wavy right end of the empirical distribution, which is illustrated in the Q-Q graphs, is the result of autocorrelation, similarly as in a time series.

Based on the size of the acquired values of the unequal income distribution of employees in the various regions of the Slovak Republic, measured by Tarsitano's proposed measure (V-inequality), the order from the largest to the lowest values is as follows: Region 6, Region 7, Region 3, Region 4, Region 1, Region 8, Region 2 and Region 5. The order may be in our opinion interpreted in accordance with the theory by Sen as a sequence of "possible perception of inequality in the distribution of existing income distribution" of individual employees in the Slovak regions from the strongest to the weakest.

Acknowledgements

Research was partially supported and funded by the VEGA Project No.01/0127/11: The spatial distribution of poverty in the European Union.

References

- Bartošová, J., Bína, V. (2007). Mixture Models of Household Income Distribution in the Czech Republic. Bratislava 06. 2.2007–09.02.2007. In: 6th International Conference APLIMAT 2007, Part I. Bratislava : Slovak University of Technology, s. 307-316. ISBN 978-80-969562-4-1.
- Dagum, C. (1977) A new model of personal distribution: specification and estimation. *Economie Appliquée*. Vol. XXX, No. 3, pp. 413-437.
- Dagum, C. (1978). A Measure of Inequality Between Income Distributions. *Economie Appliquée*. Vol. XXXI, No. 3-4, pp. 401-413.
- Dagum, C. (1984). Income Distribution Models. The Encyclopedia of Statistical Science. Vol. 4, pp. 27-34.
- Dagum, C.(1985). Analyses of Income Distribution and Inequality by Education and Sex in Canada, *Advances in Econometrics*, volume 4, 167-227.
- David, H.A.; Nagaraja, H. N. (2003). *Order Statistics*. 3rd Edn. John Wiley and Sons, USA. ISBN 0-471-38926-9. <http://dx.doi.org/10.1002/0471722162>
- Dudewicz, E. J.; Karian, Z. A. (1999). Fitting the Generalized Lambda Distribution (GLD) system by a method of percentiles. In: *Tables, American Journal of Mathematical and Management Sciences*. Vol. 19, No. 1, pp. 1-73.
- Edgeworth, F. Y. (1898) On the Representation of Statistics by Mathematical Formulae. *Journal of the Royal Statistical Society*. 61, Part I - December, 670-700, Part II - 62, March, 125-140, Part III – 62, June, 373-385, Part IV – 62, September, 534-555, 1898-1899.
- Fowlkes, E. B. (1987). *A Folio of Distributions*, A collection of Theoretical Q-Q plots. Marcel Dekker, New York, 1987.

Freimer, M., Mudholkar, G.S., Kollia, G., Lin, C.T. (1988) A study of the generalized Tukey Lambda family. In: *Communications in Statistics, Theory and Methods*. Vol. 17, No. 10, pp. 3547-3567. <http://dx.doi.org/10.1080/03610928808829820>

Gastwirth, J. L. (1971). A General Definition of the Lorenz Curve. *Econometrica*. Vol. 39, No. 6, pp. 1037-1039. <http://dx.doi.org/10.2307/1909675>

Gilchrist, W.G. (1997). Modelling with quantile distribution functions. In: *Journal of Applied Statistics*. Vol. 24, No. 1, pp. 113-122. <http://dx.doi.org/10.1080/02664769723927>

Gilchrist, W.G. (2000). Statistical modelling with quantile functions. Chapman & Hall. ISBN 1-5848-8174-7. <http://dx.doi.org/10.1201/9781420035919>

Hosking J. R. M. (1994). The four-parameter kappa distribution. In: *IBM Journal of Research, Development*. Vol. 38, No. 3, pp. 251-258. <http://dx.doi.org/10.1147/rd.383.0251>

Chapernowne, D.G. (1953) A Model of Income Distribution. *Economic Journal*. Vol 63, No. 250, pp. 318-351. <http://dx.doi.org/10.2307/2227127>

Chipman, J. S. (1985) The Theory and Measurement of Income Distribution. *Advances in Econometrics: A Research Annual*, Vol. 4 (1985), *Economic Inequality: Survey, Methods and Measurements*. Greenwich, Connecticut and London, England, JAI Press Inc., pp. 135-165.

Karian, Z. A., Dudewicz, E. J. (2000). Fitting Statistical Distributions: The Generalized Lambda Distribution and Generalized Bootstrap Methods. Boca Raton, FL: CRC Press. <http://dx.doi.org/10.1201/9781420038040>

Karian, Z. E.; Dudewicz, E. J. (1999). Fitting the Generalized Lambda Distribution to data: a method based on percentiles. In: *Communications in Statistics: Simulation and Computation*. Vol. 28, No. 3, pp. 793-819. <http://dx.doi.org/10.1080/03610919908813579>

Labudová, V., Vojtková, M. (2010). Aplikácia viacrozmerných metód pri meraní chudoby. In: *E + M. Ekonomie a management*. Roč. 13, č. 1, s. 6-22. Labudová, V. (2010). Mieri príjmovej nerovnosti. In: *Forum statisticum Slovaca*. Roč. 6, č. 5, s. 127-131.

Pacáková, V., Sodomová, E. (2003). Modelovanie pomocou kvantilov distribučných funkcií. *Ekonomika a informatika*, No. 1, 30-44.

Pacáková, V., Sipková, L. (2007). Generalized lambda distributions of household's incomes. In: *E + M. Ekonomie a management*. Roč. 10, č. 1, s. 98-107.

Pacáková, V., Sipková, L. (2011). A quantitative analysis of income disparities. In: *Data analysis methods for modelling and forecasting economic processes*. Kraków : Cracow University of Economic Press, pp. 64-75. ISBN 978-83-7252-523-4.

Pacáková, V., Sipková, L., Sodomová, E. (2005). Štatistické modelovanie príjmov domácností v Slovenskej republike. In: *Ekonomický časopis*. Roč. 53, č. 4, s. 427-439.

Ramberg, J. - Schmeiser, B. (1974). An approximate method for generating asymmetric random variables. In: *Communications of the ACM*. Vol. 17, No. 2, pp. 78-82.

Sen, A. K. (1973). *On economic inequality*. Oxford: Clarendon Press. <http://dx.doi.org/10.1093/0198281935.001.0001>

- Sipková, L. (2007). Nový prístup – nové možnosti štatistického modelovania, alebo ako "ušiť" pravdepodobnostný model na mieru. In: Forum statisticum Slovaca. Roč. 3, č. 6, s. 147-151.
- Sipková, L., Sipko, J. (2010). Úroveň miezd v krajocho Slovenskej republiky. In: Pauhofová, I., Hudec, O., Želinský, T. (eds.): Sociálny kapitál, ľudský kapitál a chudoba v regiónoch Slovenska. Košice: TU Košice. s. 51-66. ISBN 978-80-553-0573-8.
- Sipková, L., Sodomová, E. (2007). Modelovanie Kvantilovými funkciami. Bratislava: Ekonóm. ISBN 978-80-225-2346-2. PMid:17011608
- Sipková, L. (2004). Prehľad teoretických východísk merania príjmovej nerovnosti. In: Slovenská štatistika a demografia. Roč. 14, č. 3, s. 36-49.
- Stankovičová, I. (2010). Regionálne aspekty monetárnej chudoby na Slovensku. In: Pauhofová, I., Hudec, O., Želinský, T. (eds.): Sociálny kapitál, ľudský ka-pitál a chudoba v regiónoch Slovenska. Košice: TU Košice. s. 67-75. ISBN 978-80-553-0573-8.
- Tarsitano, A. (2006). A new Q-Q plot and its applica-tion to income data. In: Statistica & Applicazioni. Vol. IV, special issue no. 1. Available on the internet (modified): http://www3.unisi.it/eventi/GiniLorenz05/ABSTRACT_PAPER_24%20May/PAPER_Tarsitano.pdf.
- Tarsitano, A. Fitting the Generalized Lambda to In-come Data, Available on the internet: <http://www.ecostat.unical.it/Tarsitano/pub02a1.htm>
- Vojtková, M, Labudová, V. (2010). Regionálna analýza príjmov a výdavkov v Slovenskej republike. In: Ekonomický časopis. Roč. 58, č. 8, s. 802-820.
- Želinský, T. (2010). Nerovnosť rozdeľovania príjmov v krajocho Slovenskej republiky. In: Slovenská štatistika a demografia. Roč. 20, č. 1, s. 49-60.